



CONTRACTING AUTHORITY'S CLARIFICATIONS No. 4

Project title: Supply of the equipment for VET schools/Republic of Serbia

Publication reference: EuropeAid/140496/DH/SUP/RS

No.	Question	Answer
1.	<p>1 PLOUGH</p> <p>The specifications lead to both disc plough and moulded-board plough. Please clarify which one you need or if you are requiring for a machine which can work with both devices.</p>	<p>The item refers to a mould board plough.</p>
2.	<p>4 PNEUMATIC PLANTER</p> <p>a. The specifications lead to two different machines or to a much more expensive machine which can work simultaneously 4 maize rows and 6 sugar rows. Otherwise, we can offer 6 sugar rows machine adding the maize mowels.</p> <p>b. Please clarify the distance between rows for both maize and sugar</p> <p>c. Please inform how many kilos of fertilizer to pùbe spread.</p>	<p>The item should be offered with all the necessary accessories to enable the planting of 4 rows of maize and 6 rows of sugar beets. The specifications should <i>not</i> be interpreted as "work simultaneously" meaning at the same time.</p> <p>For the distance between rows please refer to Corrigendum no. 1.</p> <p>The volume of fertilizer is not predefined.</p>
3.	<p>5 TRANSPLANTER</p> <p>Please inform:</p> <p>a. size of roots</p> <p>b. distance between rows.</p>	<p>The size of roots is not predefined.</p> <p>The distance between rows is not predefined.</p>
4.	<p>9 MANURE SPREADER</p> <p>The working range required can be reached only for certain types of manure to be used.</p> <p>Please kindly inform which manure will be used with these spreaders (powder type, semi-liquid type, semi-solid type).</p>	<p>A mixture of various domestic animal manure (semi-solid type) will be used.</p>