


REMARK-2
placing of the cables needs to be avoided above fume hoods in suspended ceiling

| FIRST FLOOR - CHEMICAL DEPARTMENT | | | | | | |
|---|---|---|---|---|---|---|
| number | NAME OF THE ROOM | П(м2) | О(м) | FLOOR | WALL | CEILING |
| 2 | CHEMISTRY CORRIDOR | 26.5600 | 35.8100 | non-slippery granite tiles | dispersion plinth h=10cm | suspended ceiling gypsum board semi-dispersion paint |
| 4 | SECRETARY | 7.3800 | 11.2000 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 5 | CHEMISTRY HEAD EXPERT'S OFFICE | 14.3700 | 15.2200 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 6 | CHEMISTRY EXPERT'S OFFICE | 18.8700 | 18.6600 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 7 | CORRIDOR | 5.4300 | 9.3800 | PVC floor | dispersion | suspended ceiling gypsum board F90 semi-dispersion paint |
| 8 | MEASURING | 2.9500 | 6.9400 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 9 | MEASURING | 2.8500 | 7.1600 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 10 | TRACES | 3.4700 | 7.6600 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 11 | ANALITIC SCALE | 3.7000 | 7.8400 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 12 | LABORATORY FOR AMFETAMINES | 8.4500 | 11.8200 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 12A | SHOWER | 1.4900 | 4.7800 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 13 | LABORATORY FOR DRUGS | 17.7700 | 18.3500 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 14 | INSTRUMENTS | 17.0100 | 18.1300 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 15 | INSTRUMENTS | 7.7800 | 11.1900 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 16 | CORRIDOR | 4.9100 | 9.8100 | PVC floor | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 17 | EXPLOSIVES PREPARATION | 12.4500 | 14.2600 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 18 | INSTRUMENTS FOR EXPLOSIVES | 6.8200 | 10.5900 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 19 | KITCHEN | 3.5500 | 7.5500 | ceramic tiles | ceramic tiles h=280cm | suspended ceiling gypsum board semi-dispersion paint |
| 20 | PAINTS PREPARATION | 8.6000 | 12.0500 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 21 | INSTRUMENTS FOR PAINTS | 12.3300 | 13.8300 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 22 | INSTRUMENTS | 6.0100 | 10.4300 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 23 | CORRIDOR | 3.5200 | 8.7700 | PVC floor | dispersion plinth h=10cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 24 | UNKNOWN FIBRES EXAMINATION | 7.1100 | 11.5300 | PVC floor | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 25 | KNOWN FIBRES EXAMINATION | 7.7500 | 11.4100 | PVC floor | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 26 | FIBRES PREPARATION | 7.4500 | 11.2500 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 27 | INSTRUMENTS FOR FIBRES | 8.3500 | 12.5000 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 28 | CHEMISTRY EXPERT'S OFFICE | 12.3100 | 17.7100 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 30 | SAMPLES RECEPTION | 7.9100 | 16.2000 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 31 | SAMPLES ON HOLD | 3.7200 | 7.8400 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 32 | CURRENT SAMPLES | 3.1400 | 7.3100 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 33 | SAMPLES | 1.8300 | 5.5400 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| | NET USABLE AREA | 255.84 | | | | |

| FIRST FLOOR - TOXICOLOGICAL DEPARTMENT | | | | | | |
|---|---|---|---|---|---|---|
| number | NAME OF THE ROOM | П(м2) | О(м) | FLOOR | WALL | CEILING |
| 35 | TOXICOLOGY CORRIDOR | 11.2200 | 16.9200 | non-slippery granite tiles | dispersion plinth h=10cm | suspended ceiling gypsum board semi-dispersion paint |
| 35A | CORRIDOR | 9.4900 | 16.6200 | non-slippery granite tiles | dispersion plinth h=10cm | suspended ceiling gypsum board semi-dispersion paint |
| 36 | TOXICOLOGY EXPERT'S OFFICE | 14.2300 | 17.6800 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 37 | TOXICOLOGY HEAD EXPERT'S OFFICE | 13.6900 | 17.4600 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 38 | INSTRUMENTS | 13.0900 | 16.2200 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | dispersion | suspended ceiling gypsum board F90 semi-dispersion paint |
| 39 | INSTRUMENTS | 16.7300 | 16.2600 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | dispersion | suspended ceiling gypsum board F90 semi-dispersion paint |
| 40 | WASHING LABORATORY DISHES | 7.9200 | 11.6200 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 41 | PREPARATION OF TOXICOLOGY SAMPLES | 32.5100 | 23.5300 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 42 | ANALITIC SCALE | 3.7200 | 7.7700 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | dispersion | suspended ceiling gypsum board F90 semi-dispersion paint |
| 43 | CORRIDOR | 4.1400 | 8.1400 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 44 | ARCHIVE | 4.0300 | 8.0400 | PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 45 | SAMPLES RECEPTION | 19.6100 | 19.1200 | acid resistant ceramic tiles, PVC floor | dispersion | suspended ceiling gypsum board semi-dispersion paint |
| 46 | TECHNICIAN'S OFFICE | 14.2300 | 17.3000 | PVC floor | dispersion plinth h=10cm | suspended ceiling gypsum board semi-dispersion paint |
| 46a | RACK | 1.1600 | 4.3000 | anti-static PVC floor (Bfl, S1/ Cfl, S1) | dispersion | dispersion |
| 47 | KITCHEN | 2.3000 | 6.0600 | ceramic tiles | ceramic tiles h=280cm | suspended ceiling gypsum board semi-dispersion paint |
| | **НЕТО ПОВРШИНАОДЕЉЕЊА** | **168.07** | | | | |

| FIRST FLOOR - COMMON AREA | | | | | | |
|---|---|---|---|---|---|---|
| number | NAME OF THE ROOM | П(м2) | О(м) | FLOOR | WALL | CEILING |
| 1A | STAIRCASE | 17.3200 | 18.3400 | non-slippery granite tiles | dispersion plinth h=10cm | dispersion |
| 1 | COMMON CORRIDOR | 14.8300 | 21.1600 | non-slippery granite tiles | dispersion plinth h=10cm | suspended ceiling gypsum board semi-dispersion paint |
| 3 | STORAGE FOR CHEMISTRY AND TOXICOLOGY | 15.3800 | 17.4400 | acid resistant ceramic tiles | acid resistant ceramic tiles h=280cm | suspended ceiling gypsum board F90 semi-dispersion paint |
| 34 | SANITARY BLOCK-corridor | 6.3500 | 12.4400 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| 34A | SANITARY BLOCK-trocadero | 1.6000 | 5.2400 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| 34Б | MALE WC | 3.8700 | 8.5000 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| 34Б` | MALE WC | 2.1800 | 6.1400 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| 34В | FEMALE WC | 2.1700 | 5.9000 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| 34В` | FEMALE WC | 2.4000 | 6.6200 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| 34Г | SHOWER | 1.5800 | 5.0900 | ceramic tiles | ceramic tiles h=240cm | suspended ceiling gypsum board semi-dispersion paint |
| | NET USABLE AREA | **67.68** | | | | |

NET USABLE AREA I FLOOR 491.59 м2

GROSS AREA I FLOOR 584.31 м2

# LEGEND

RO-KS2 -разводни ормари клима комора KK-1 i KK-2

RO-KS1 -разводни ормари клима комора KK-3 i KK-4

DK- -димна клапна бр. 10. Димне клапне дефинисане у машинском пројекту

-траса енергетског кабла (ПНК канали за електроинсталације и инсталације електромоторног погона)

WE-KK1-Y2 -oznake kablova prema kabal listi i jednopolnim šemama delovanja

| | |
|---|---|
| INVESTOR: | Ministry of Interior, Republic of Serbia |
| OBJECT: | **UKP NKTC laboratories**, block"C" Kneza Miloša street no.103, BELGRADE |
| phase of the project: | CONSTRUCTION PROJECT |
| project: | MAIN PROJECT OF ELECTRICAL INSTALATIONS |
| responsible architect: | |
| drawing: ELECTRICAL INSTALATIONS ANTISMOKE DUMPERS | date: February, 2013. |
| scale: 1:50 | drawing no: 11 |