

[illegible][illegible][illegible]

# YHT - INTERIOR PARTITION WALL

YHT1
Finishing (G)

**GENERAL REMARKS:**

- All dimensions must be checked on the site before the beginning of the work.
- The work must be carried out in a safe manner, without any danger, inconvenience and exception in the drawings and/or in the text of the project in relation to the conditions on the object, must be carried out in accordance with the standards in force.
- The height of the partition is given from the finished floor level up to the trackwork of the partition.
- The height of the partition is given from the finished floor level up to the concrete window lintel level.
- The height of the doors are given from finished floor level up to the track door finish level.

NOTES

1. The height of the partition is given from the finished floor level up to the trackwork of the partition.

2. The height of the partition is given from the finished floor level up to the concrete window lintel level.

3. The height of the doors are given from finished floor level up to the track door finish level.

**GENERAL REMARKS:**

- All dimensions must be checked on the site before the beginning of the work.
- The work must be carried out in a safe manner, without any danger, inconvenience and exception in the drawings and/or in the text of the project in relation to the conditions on the object, must be carried out in accordance with the standards in force.
- The height of the partition is given from the finished floor level up to the trackwork of the partition.
- The height of the partition is given from the finished floor level up to the concrete window lintel level.
- The height of the doors are given from finished floor level up to the track door finish level.

NOTES

1. The height of the partition is given from the finished floor level up to the trackwork of the partition.

2. The height of the partition is given from the finished floor level up to the concrete window lintel level.

3. The height of the doors are given from finished floor level up to the track door finish level.

**GENERAL REMARKS:**

- All dimensions must be checked on the site before the beginning of the work.
- The work must be carried out in a safe manner, without any danger, inconvenience and exception in the drawings and/or in the text of the project in relation to the conditions on the object, must be carried out in accordance with the standards in force.
- The height of the partition is given from the finished floor level up to the trackwork of the partition.
- The height of the partition is given from the finished floor level up to the concrete window lintel level.
- The height of the doors are given from finished floor level up to the track door finish level.

HISTORICAL COMPANY DATA					
Year	Market of the Record	EPS	Div	Total	EPS/Div
1990	Standard	1.32	0.24	1.56	5.83
1991	Standard	1.46	0.26	1.72	6.54
1992	Standard	1.61	0.28	1.89	6.82
1993	Standard	1.78	0.30	2.08	7.27
1994	Standard	1.98	0.32	2.30	7.75
1995	Standard	2.20	0.34	2.54	8.24
1996	Standard	2.44	0.36	2.80	8.72
1997	Standard	2.70	0.38	3.08	9.21
1998	Standard	2.98	0.40	3.38	9.70
1999	Standard	3.28	0.42	3.70	10.20
2000	Standard	3.60	0.44	4.04	10.70
2001	Standard	3.94	0.46	4.40	11.20
2002	Standard	4.30	0.48	4.78	11.67
2003	Standard	4.68	0.50	5.18	12.16
2004	Standard	5.08	0.52	5.60	12.65
2005	Standard	5.50	0.54	6.04	13.15
2006	Standard	5.94	0.56	6.50	13.66
2007	Standard	6.40	0.58	6.98	14.14
2008	Standard	6.88	0.60	7.48	14.63
2009	Standard	7.38	0.62	8.00	15.13
2010	Standard	7.90	0.64	8.54	15.63
2011	Standard	8.44	0.66	9.10	16.14
2012	Standard	8.98	0.68	9.66	16.60
2013	Standard	9.54	0.70	10.24	17.06
2014	Standard	10.10	0.72	10.82	17.50
2015	Standard	10.68	0.74	11.42	17.95
2016	Standard	11.28	0.76	12.04	18.40
2017	Standard	11.88	0.78	12.66	18.82
2018	Standard	12.50	0.80	13.30	19.25
2019	Standard	13.12	0.82	13.94	19.66
2020	Standard	13.76	0.84	14.60	20.07
2021	Standard	14.40	0.86	15.26	20.47
2022	Standard	15.06	0.88	15.94	20.86
2023	Standard	15.72	0.90	16.62	21.24
2024	Standard	16.40	0.92	17.32	21.63
2025	Standard	17.08	0.94	18.02	22.00
2026	Standard	17.78	0.96	18.74	22.37
2027	Standard	18.48	0.98	19.46	22.74
2028	Standard	19.18	1.00	20.18	23.10
2029	Standard	19.90	1.02	20.92	23.43
2030	Standard	20.62	1.04	21.66	23.77
2031	Standard	21.36	1.06	22.42	24.10
2032	Standard	22.10	1.08	23.18	24.43
2033	Standard	22.86	1.10	23.96	24.78
2034	Standard	23.62	1.12	24.74	25.11
2035	Standard	24.40	1.14	25.54	25.44
2036	Standard	25.18	1.16	26.34	25.77
2037	Standard	25.98	1.18	27.16	26.10
2038	Standard	26.78	1.20	27.98	26.43
2039	Standard	27.58	1.22	28.80	26.76
2040	Standard	28.38	1.24	29.62	27.09
2041	Standard	29.18	1.26	30.44	27.42
2042	Standard	29.98	1.28	31.26	27.75
2043	Standard	30.78	1.30	32.08	28.08
2044	Standard	31.58	1.32	32.90	28.41
2045	Standard	32.38	1.34	33.72	28.74
2046	Standard	33.18	1.36	34.54	29.07
2047	Standard	33.98	1.38	35.36	29.40
2048	Standard	34.78	1.40	36.18	29.73
2049	Standard	35.58	1.42	37.00	30.06
2050	Standard	36.38	1.44	37.82	30.39
2051	Standard	37.18	1.46	38.64	30.72
2052	Standard	37.98	1.48	39.46	31.05
2053	Standard	38.78	1.50	40.28	31.38
2054	Standard	39.58	1.52	41.10	31.71
2055	Standard	40.38	1.54	41.92	32.04
2056	Standard	41.18	1.56	42.74	32.37
2057	Standard	41.98	1.58	43.56	32.70
2058	Standard	42.78	1.60	44.38	33.03
2059	Standard	43.58	1.62	45.20	33.36
2060	Standard	44.38	1.64	46.02	33.69
2061	Standard	45.18	1.66	46.84	34.02
2062	Standard	45.98	1.68	47.66	34.35
2063	Standard	46.78	1.70	48.48	34.68
2064	Standard	47.58	1.72	49.30	35.01
2065	Standard	48.38	1.74	50.12	35.34
2066	Standard	49.18	1.76	50.94	35.67
2067	Standard	49.98	1.78	51.76	36.00
2068	Standard	50.78	1.80	52.58	36.33
2069	Standard	51.58	1.82	53.40	36.66
2070	Standard	52.38	1.84	54.22	36.99
2071	Standard	53.18	1.86	55.04	37.32
2072	Standard	53.98	1.88	55.86	37.65
2073	Standard	54.78	1.90	56.68	37.98
2074	Standard	55.58	1.92	57.50	38.31
2075	Standard	56.38	1.94	58.32	38.64
2076	Standard	57.18	1.96	59.14	38.97
2077	Standard	57.98	1.98	59.96	39.30
2078	Standard	58.78	2.00	60.78	39.63
2079	Standard	59.58	2.02	61.60	39.96
2080	Standard	60.38	2.04	62.42	40.29
2081	Standard	61.18	2.06	63.24	40.62
2082	Standard	61.98	2.08	64.06	40.95
2083	Standard	62.78	2.10	64.88	41.28
2084	Standard	63.58	2.12	65.70	41.61
2085	Standard	64.38	2.14	66.52	41.94
2086	Standard	65.18	2.16	67.34	42.27
2087	Standard	65.98	2.18	68.16	42.60
2088	Standard	66.78	2.20	68.98	42.93
2089	Standard	67.58	2.22	69.80	43.26
2090	Standard	68.38	2.24	70.62	43.59
2091	Standard	69.18	2.26	71.44	43.92
2092	Standard	69.98	2.28	72.26	44.25
2093	Standard	70.78	2.30	73.08	44.58
2094	Standard	71.58	2.32	73.90	44.91
2095	Standard	72.38	2.34	74.72	45.24
2096	Standard	73.18	2.36	75.54	45.57
2097	Standard	73.98	2.38	76.36	45.90
2098	Standard	74.78	2.40	77.18	46.23
2099	Standard	75.58	2.42	78.00	46.56
2100	Standard	76.38	2.44	78.82	46.89
2101	Standard	77.18	2.46	79.64	47.22
2102	Standard	77.98	2.48	80.46	47.55
2103	Standard	78.78	2.50	81.28	47.88
2104	Standard	79.58	2.52	82.10	48.21
2105	Standard	80.38	2.54	82.92	48.54
2106	Standard	81.18	2.56	83.74	48.87
2107	Standard	81.98	2.58	84.56	49.20
2108	Standard	82.78	2.60	85.38	49.53
2109	Standard	83.58	2.62	86.20	49.86
2110	Standard	84.38	2.64	87.02	50.19
2111	Standard	85.18	2.66	87.84	50.52
2112	Standard	85.98	2.68	88.66	50.85
2113	Standard	86.78	2.70	89.48	51.18
2114	Standard	87.58	2.72	90.30	51.51
2115	Standard	88.38	2.74	91.12	51.84
2116	Standard	89.18	2.76	91.94	52.17
2117	Standard	89.98	2.78	92.76	52.50
2118	Standard	90.78	2.80	93.58	52.83
2119	Standard	91.58	2.82	94.40	53.16
2120	Standard	92.38	2.84	95.22	53.49
2121	Standard	93.18	2.86	96.04	53.82
2122	Standard	93.98	2.88	96.86	54.15
2123	Standard	94.78	2.90	97.68	54.48
2124	Standard	95.58	2.92	98.50	54.81
2125	Standard	96.38	2.94	99.32	55.14
2126	Standard	97.18	2.96	100.14	55.47
2127	Standard	97.98	2.98	100.96	55.80
2128	Standard	98.78	3.00	101.78	56.13
2129	Standard	99.58	3.02	102.60	56.46
2130	Standard	100.38	3.04	103.42	56.79
2131	Standard	101.18	3.06	104.24	57.12
2132	Standard	101.98	3.08	105.06	57.45
2133	Standard	102.78	3.10	105.88	57.78
2134	Standard	103.58	3.12	106.70	58.11
2135	Standard	104.38	3.14	107.52	58.44
2136	Standard	105.18	3.16	108.34	58.77
2137	Standard	105.98	3.18	109.16	59.10
2138	Standard	106.78	3.20	110.00	59.43
2139	Standard	107.58	3.22	110.82	59.76
2140	Standard	108.38	3.24	111.64	60.09
2141	Standard	109.18	3.26	112.46	60.42
2142	Standard	109.98	3.28	113.28	60.75
2143	Standard	110.78	3.30	114.10	61.08
2144	Standard	111.58	3.32	114.92	61.41
2145	Standard	112.38	3.34	115.74	61.74
2146	Standard	113.18	3.36	116.56	62.07
2147	Standard	113.98	3.38	117.38	62.40
2148	Standard	114.78	3.40	118.20	62.73
2149	Standard	115.58	3.42	119.02	63.06
2150	Standard	116.38	3.44	119.84	63.39
2151	Standard	117.18	3.46	120.66	63.72
2152	Standard	117.98	3.48	121.48	64.05
2153	Standard	118.78	3.50	122.30	64.38
2154	Standard	119.58	3.52	123.12	64.71
2155	Standard	120.38	3.54	123.94	65.04
2156	Standard	121.18	3.56	124.76	65.37
2157	Standard	121.98	3.58	125.58	65.70
2158	Standard	122.78	3.60	126.40	66.03
2159	Standard	123.58	3.62	127.22	66.36
2160	Standard	124.38	3.64	128.04	66.69
2161	Standard	125.18	3.66	128.86	67.02
2162	Standard	125.98	3.68	129.68	67.35
2163	Standard	126.78	3.70	130.50	67.68
2164	Standard	127.58	3.72	131.32	68.01
2165	Standard	128.38	3.74	132.14	68.34
2166	Standard	129.18	3.76	132.96	68.67
2167	Standard	129.98	3.78	133.78	69.00
2168	Standard	130.78	3.80	134.60	69.33
2169	Standard	131.58	3.82	135.42	69.66
2170	Standard	132.38	3.84	136.24	70.00
2171	Standard	133.18	3.86	137.06	70.33
2172	Standard	133.98	3.88	137.88	70.66
2173	Standard	134.78	3.90	138.70	70.99
2174	Standard	135.58	3.92	139.52	71.32
2175	Standard	136.38	3.94	140.34	71.65
2176	Standard	137.18	3.96	141.16	71.98
2177	Standard	137.98	3.98	141.98	72.31
2178	Standard	138.78	4.00	142.80	72.64
2179	Standard	139.58	4.02	143.62	72.97
2180	Standard	140.38	4.04	144.44	73.30
2181	Standard	141.18	4.06	145.26	73.63
2182	Standard	141.98	4.08	146.08	73.96
2183	Standard	142.78	4.10	146.90	74.29
2184	Standard	143.58	4.12	147.72	74.62
2185	Standard	144.38	4.14	148.54	74.95
2186	Standard	145.18	4.16	149.36	75.28
2187	Standard	145.98	4.18	150.18	75.61
2188	Standard	146.78	4.20	151.00	75.94
2189	Standard	147.58	4.22	151.82	76.27
2190	Standard	148.38	4.24	152.64	76.60
2191	Standard	149.18	4.26	153.46	76.93
2192	Standard	149.98	4.28	154.28	77.26
2193	Standard	150.78	4.30	155.10	77.59
2194	Standard	151.58	4.32	155.92	77.92
2195	Standard	152.38	4.34	156.74	78.25
2196	Standard	153.18	4.36	157.56	78.58
2197	Standard	153.98	4.38	158.38	78.91
2198	Standard	154.78	4.40	159.20	79.24
2199	Standard	155.58	4.42	160.02	79.57
2200	Standard	156.38	4.44	160.84	79

<ul style="list-style-type: none"><li>- base + beam</li><li>- reinforced concrete slab - 15cm</li><li>- reinforced insulation - 5cm</li><li>- suspended ceiling - 1,25m</li><li>- 1st floor slingshot</li></ul>	<ul style="list-style-type: none"><li>- base + beam</li><li>- reinforced concrete slab - 15cm</li><li>- reinforced insulation - 5cm</li><li>- suspended ceiling - 1,25m</li><li>- 1st floor slingshot</li></ul>	<ul style="list-style-type: none"><li>- base + beam</li><li>- reinforced concrete slab - 15cm</li><li>- reinforced insulation - 5cm</li><li>- suspended ceiling - 1,25m</li><li>- 1st floor slingshot</li></ul>	<ul style="list-style-type: none"><li>- base + beam</li><li>- reinforced concrete slab - 15cm</li><li>- reinforced insulation - 5cm</li><li>- suspended ceiling - 1,25m</li><li>- 1st floor slingshot</li></ul>
new	new	existing	existing

	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness
	cross layer of drilling system 1.5 cm at concrete slab thickness

NETTMAHLER ABLAUFLÖSUNG	441,97 m <sup>2</sup>
GRÜNS ABLAUFLÖSUNG	544,51 m <sup>2</sup>

<p><b>MK 2a</b></p> <p>*-antifire gypsum boards FI 20</p>	<p>- termoinsulation (elastic expanded polystyrene) - 3cm</p> <p>- reinforced concrete slab - 18cm</p> <p>- suspended ceiling - 50cm*</p>	<p>existing</p>
---	---	-----------------

CO-3-BLITZERS

wool 60-80(g/m<sup>2</sup>) - 5cm  
- vapor barrier  
- brick - 12.0cm  
- mortar 1.5cm

