

**ANNEX II + III : TECHNICAL SPECIFICATIONS + TECHNICAL OFFER**

**Contract title: Supply of Equipment for the Reception Centre for Asylum Seekers**

**p 1 / 27**

**Lot No. 3: General and education furniture, education and sports equipment**

**Publication reference: EuropeAid/139681/IH/SUP/RS**

**Columns 1-2 should be completed by the Contracting Authority**

**Columns 3-4 should be completed by the tenderer**

**Column 5 is reserved for the evaluation committee**

Annex III - the Contractor's technical offer

The tenderers are requested to complete the template on the next pages:

- Column 2 is completed by the Contracting Authority shows the required specifications (not to be modified by the tenderer),
- Column 3 is to be filled in by the tenderer and must detail what is offered (for example the words “compliant” or “yes” are not sufficient)
- Column 4 allows the tenderer to make comments on its proposed supply and to make eventual references to the documentation

The eventual documentation supplied should clearly indicate (highlight, mark) the models offered and the options included, if any, so that the evaluators can see the exact configuration. Offers that do not permit to identify precisely the models and the specifications may be rejected by the evaluation committee.

The offer must be clear enough to allow the evaluators to make an easy comparison between the requested specifications and the offered specifications.

**Unless otherwise specified, the requirements in these Technical Specifications are presented as a minimum standard which the offered goods must meet.**

**Lot No.3: General and education furniture, education and sports equipment**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
1	<b>School board</b> <b>Quantity: 2</b>			
	<ul style="list-style-type: none"> <li>• White magnetic board including stand</li> <li>• board front and back side covered with enameled steel</li> <li>• With an option of board rotating and locking for safer use</li> <li>• With an option of magnet use</li> <li>• Board frame made of high quality anodised aluminium</li> <li>• Marker and eraser holder as part of the board stand, made of aluminium</li> <li>• Board stand with four wheels with breaks</li> <li>• Dimensions: 240x120cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
2	<b>Flip Chart board</b> <b>Quantity: 3</b>			
	<ul style="list-style-type: none"> <li>• Flipchart white board with wheels</li> <li>• height 190cm (±5%)</li> <li>• platform dimension min.60x100cm</li> <li>• with magnet board below the paper segment</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
3	<b>Whiteboard eraser</b> <b>Quantity: 5</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Magnetic whiteboard eraser</li> <li>with one "pillow"</li> <li>standard dimensions</li> </ul>	<i>Manufacturer's name:</i>  <i>Product type, model:</i>  <i>Specifications:</i>		
4	<b>Board/flipchart marker - black</b> <b>Quantity: 30</b>			
	<ul style="list-style-type: none"> <li>Ink Colour: Black</li> <li>Top: round,diameter minimum 3mm</li> </ul>	<i>Manufacturer's name:</i>  <i>Product type, model:</i>  <i>Specifications:</i>		
5	<b>Board/flipchart marker - red</b> <b>Quantity: 30</b>			
	<ul style="list-style-type: none"> <li>Ink Colour: Red</li> <li>Top: round,diameter minimum3mm</li> </ul>	<i>Manufacturer's name:</i>  <i>Product type, model:</i>  <i>Specifications:</i>		
6	<b>Board/flipchart marker - blue</b> <b>Quantity: 30</b>			
	<ul style="list-style-type: none"> <li>Ink Colour: Blue</li> <li>Top: round,diameter minimum3mm</li> </ul>	<i>Manufacturer's name:</i>  <i>Product type, model:</i>  <i>Specifications:</i>		
7	<b>Classroom Desk</b> <b>Quantity: 30</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Classroom desk for students</li> <li>Horizontal board made of laminated plywood thickness 22-25mm, with melamine foil including the edges, beech pattern</li> <li>Supporting construction material: metal pipes, with anti-corrosion coating</li> <li>Desk shelf is optional</li> <li>Dimensions: length 80, width 80cm, height 76cm</li> </ul>	<p><i>Manufacturer's name:</i> <i>Product type, model:</i> <i>Specifications:</i></p>		
8	<p><b>Classroom desk (cathedra)</b> <b>Quantity: 2</b></p>			
	<ul style="list-style-type: none"> <li>Supporting construction: metal pipes width 2mm, with anti-corrosion coating</li> <li>Horizontal board made of plywood thickness 22-25mm, laminated with melamine foil including the edges</li> <li>Cathedra shelf/drawer is optional</li> <li>Dimensions: length 120, width 60, height 75-76cm</li> </ul>	<p><i>Manufacturer's name:</i> <i>Product type, model:</i> <i>Specifications:</i></p>		
9	<p><b>Screen</b> <b>Quantity: 5</b></p>			
	<ul style="list-style-type: none"> <li>Movable screens for space division with four stands</li> <li>Stands with height adjustment</li> <li>Screen made of framed laminated plywood panels with melamine foil, thickness 8-10mm</li> <li>Dimensions 90x180cm</li> </ul>	<p><i>Manufacturer's name:</i> <i>Product type, model:</i> <i>Specifications:</i></p>		

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
10	<b>Bench</b> <b>Quantity: 10</b>			
	<ul style="list-style-type: none"> <li>Classroom bench with the option of folding the stands for easier storage</li> <li>Seat material: wood, thickness: 3cm</li> <li>Stand construction material: steel, with anti-corrosion coating</li> <li>length 200cm, width 25cm, height 45 cm (<math>\pm 5\%</math>)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
11	<b>Cupboard</b> <b>Quantity: 3</b>			
	<ul style="list-style-type: none"> <li>School cabinet for teaching material storage, with two doors</li> <li>made of laminated plywood panels 18mm with melamine foil in beech pattern, with edges covered with banding tape, in the same pattern as the board</li> <li>with 4 shelves same dimensions</li> <li>Shelf panel, thickness 18mm, made of laminated plywood with melamine foil in beech pattern, with edges covered with banding tape, , in the same pattern as the board</li> <li>With handles made of wood for each door, light colour</li> <li>Dimensions: 90x40x90 (<math>\pm 5\%</math>)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
12	<b>School cabinet</b> <b>Quantity: 3</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>School cabinet for teaching material storage, made of laminated plywood panels, width 18mm, with melamine foil in beech pattern, with edges covered with banding tape, in the same pattern as the board</li> <li>Cabinet has minimum 5 shelves, with same distance between them, which can vary between 30-35cm depending on the number of shelves</li> <li>Shelf panel thickness 18mm laminated plywood with melamine foil in beech pattern, with edges covered with banding tape, in the same pattern as the board</li> <li>Cabinet has 4 doors: 2 same dimensions doors in the upper part, 2 same dimensions doors in the bottom part of the cabinet</li> <li>Upper doors with glass, with frame made of laminated plywood with melamine foil, with edges covered with banding tape in the same pattern as the board</li> <li>Bottom doors made of laminated plywood panel with melamine foil, with edges covered with banding tape, in the same pattern as the board</li> <li>With handles made of wood for each door, light colour</li> <li>Dimensions: 80x30x200 (<math>\pm 5\%</math>)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
13	<b>Corkboard</b> <b>Quantity: 10</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Board material: cork</li> <li>Frame material: wood</li> <li>Dimensions: 90x120cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
14	<b>Waste baskets</b> <b>Quantity: 80</b>			
	<ul style="list-style-type: none"> <li>Mesh waste paper basket</li> <li>made of stainless steel</li> <li>volume 5L (±5%)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
15	<b>Wall Mounted Coat Rack</b> <b>Quantity: 20</b>			
	<ul style="list-style-type: none"> <li>Rack material Solid Oak, with lacquer finish</li> <li>Rack length 120cm, width 18mm, height 15-20cm (±5%)</li> <li>with 8 metallic hooks, with anti-corrosion coating</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
16	<b>Freestanding Coat Rack</b> <b>Quantity: 3</b>			
	<ul style="list-style-type: none"> <li>Material: metal, with anti-corrosion coating</li> <li>Surface finish: black, matte</li> <li>height 180 -200cm</li> <li>with minimum 6 hooks</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
17	<b>See-saw</b> <b>Quantity:2</b>			
	<ul style="list-style-type: none"> <li>Material: wood</li> <li>Two seats, standard dimensions</li> <li>One beam</li> <li>Dimensions:300x55x60cm (±5%)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
18	<b>Swing</b> <b>Quantity: 2</b>			
	<ul style="list-style-type: none"> <li>Material: wood</li> <li>"A"- shaped frame</li> <li>2 seats, connected to the frame by chains</li> <li>Standard dimensions for swings with two seats</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
19	<b>Slide</b> <b>Quantity: 2</b>			
	<ul style="list-style-type: none"> <li>Slide material: plastic</li> <li>with supporting construction made of steel</li> <li>length minimum185cm</li> <li>Width minimum100cm</li> <li>Height minimum 95 cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
20	<b>Spinning wheel</b> <b>Quantity: 2</b>			
	<ul style="list-style-type: none"> <li>Combination of metal swings with fixed wheels for rolling (with wooden seats)</li> <li>Dimensions: 160x80cm (±5%)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		



1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
21	<b>Jungle gym</b> Quantity: 1			
	<ul style="list-style-type: none"> <li>Playground dimension without the slide: 180-200 x 200-220 x 300-320cm.</li> <li>Playground dimension with the slide minimum: 380x 200x 300cm</li> <li>Platform dimensions minimum: 140x 140cm, height 140cm</li> <li>Supporting Construction material: wood</li> <li>Slide material: plastic</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
22	<b>Basket ball</b> Quantity: 3			
	<ul style="list-style-type: none"> <li>Ball for basketball</li> <li>Material: rubber</li> <li>Size:7.0</li> <li>Colour: orange</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
23	<b>Football ball</b> Quantity: 3			
	<ul style="list-style-type: none"> <li>Ball for football</li> <li>Material: leather</li> <li>Size: 5.0</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
24	<b>Handball ball</b> Quantity: 3			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Ball for handball</li> <li>Material: synthetic leather</li> <li>Size: 3.0</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
25	<b>Volleyball ball</b> Quantity: 3			
	<ul style="list-style-type: none"> <li>Ball for Volleyball</li> <li>Material: rubber</li> <li>Size: 5.0</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
26	<b>Locker for sports equipment</b> Quantity: 2			
	<ul style="list-style-type: none"> <li>Mesh steel locker for balls and small sports props, with anti-corrosion coating</li> <li>Dimensions: 80x50x200cm (<math>\pm 5\%</math>)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
27	<b>Table-tennis table</b> Quantity: 2			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Foldable table with net included</li> <li>With metal stand rust-resistant, on wheels</li> <li>With fixed rackets and balls holder on the side of the table</li> <li>Table board thickness: 19mm. (<math>\pm 5\%</math>)</li> <li>with durable 6mm thick aluminium plastic composite surface</li> <li>Table dimension (when unfolded): 275 x 152.5 x 76cm (<math>\pm 5\%</math>)</li> <li>Colour: green</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
28	<b>Racket for table tennis</b> Quantity: 10			
	<ul style="list-style-type: none"> <li>Rackets made of wood, covered with sponge and rubber min width 1.5mm</li> <li>Standard dimensions</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
29	<b>Boards with hoops for basketball</b> Quantity: 2			
	<ul style="list-style-type: none"> <li>Board material: waterproof laminated plywood, standard thickness</li> <li>Comes with hoop, standard diameter, colour red, with white net</li> <li>Board dimensions 180x105cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
30	<b>Goals for handball</b> Quantity: 4			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• Dimensions: 200×300 cm</li> <li>• Frame/Net bearing construction: steel</li> <li>• Construction and frame colour: stripes black and white</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
31	<b>Volleyball net</b> Quantity: 1			
	<ul style="list-style-type: none"> <li>• Material: wood</li> <li>• "A" shape frame</li> <li>• 2 seats, connected to the frame by chains</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
32	<b>School chair</b> Quantity: 50			
	<ul style="list-style-type: none"> <li>• Chair supporting construction: metal round pipe Ø22, with anti-corrosion coating</li> <li>• Seat and back material is laminated plywood with melamine foil, pattern beech</li> <li>• Chair width: minimum 45 cm</li> <li>• Chair height : 76 mm (±5%)</li> <li>• Seat height: 45-46cm</li> <li>• Chair back: anatomically shaped laminated plywood with melamine foil, dimensions minimum 39x19 cm or chair back and chair seat as one piece with chair back anatomically shaped</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
33	<b>Table-tennis ball</b> Quantity: 15			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• Can come in sets or as separates</li> <li>• Diameter 40mm</li> <li>• Material: plastic or celluloid</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
34	<p><b>Bunk bed</b></p> <p><b>Quantity: 300</b></p>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• Bunk bed, with an option of separating it in two beds</li> <li>• Supporting construction made of metal pipes or metal box profiles</li> <li>• Top bed frames on all four sides of bed excluding the part where the ladders are leaned on</li> <li>• Bottom bed has frames positioned on shorter sides of bed</li> <li>• Frames made of metal pipes</li> <li>• Bottom bed distance from floor to bed foundation: 50cm (<math>\pm 5\%</math>)</li> <li>• Top bed distance from floor to bed base: 125cm (<math>\pm 5\%</math>)</li> <li>• Bed base construction: mesh metal bars with standard shape and size</li> <li>• With welded ladders for more support, made of metal pipes</li> <li>• All bed elements with anti-corrosion coating</li> <li>• Dimension of single bed: 90x200cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
35	<b>Mattress</b> <b>Quantity: 600</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>mattress with wired core</li> <li>core strengthened with polyurethane foam</li> <li>mattress sides covered with minimum 1,5cm polyurethane foam</li> <li>Mattress cover fabric: mixture of polyester and cotton</li> <li>Dimensions: 90x200 x15cm (<math>\pm 5\%</math>)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
36	<b>Dining table</b> <b>Quantity: 50</b>			
	<ul style="list-style-type: none"> <li>Table horizontal board made of laminated plywood panel with melamine foil, thickness minimum 18mm, square shape with rounded angles, colour white or beech pattern</li> <li>Edges of plywood panels covered with edge banding tape, , in the same pattern as the board</li> <li>Table supporting construction made of metal square profiles or metal pipes, , with anti-corrosion coating</li> <li>Table dimensions: width 75-80, length 75-80, height 75cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
37	<b>Dining chair</b> <b>Quantity: 200</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Chair supporting construction: metal round profiles with anti-corrosion coating or wooden legs, square shaped, beech pattern</li> <li>chair seat made of laminated plywood panels, thickness minimum 18mm, with melamine foil in beech pattern</li> <li>chair back is a one-piece element, made of plywood panels laminated with melamine foil, thickness minimum 18mm, beech pattern</li> <li>with shape that provides anatomic support</li> <li>chair height: 95-100cm</li> <li>seat: height 45cm, width 45cm, depth 47-50 cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
38	<b>Night stand</b> <b>Quantity: 300</b>			
	<ul style="list-style-type: none"> <li>night stands for rooms</li> <li>made of laminated plywood panels, thickness minimum 18mm, with melamine foil in beech pattern</li> <li>Edges of plywood panels covered with edge banding tape, in the same pattern as the panels</li> <li>Night stand with 3 drawers of same dimensions, with metallic slides on wheels</li> <li>with metal handles for each drawer, length 64mm (<math>\pm 5\%</math>), matte, colour metallic grey</li> <li>dimensions: width 45-50cm, depth 40-45cm, height 60-65cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
39	<b>Office Desk</b> <b>Quantity: 30</b>			



1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• Desk supporting construction is made of plywood panels, thickness minimum 25 mm, beech colour</li> <li>• work surface made of plywood panel, thickness minimum 25 mm, beech colour</li> <li>• Edges of plywood panels covered with edge banding tape, in the same pattern as the panels</li> <li>• Desk dimensions: width 140-160cm, depth 60-80cm, height 75cm (<math>\pm 2\%</math>),</li> </ul>	<p><i>Manufacturer's name:</i>  <i>Product type, model:</i>  <i>Specifications:</i></p>		
40	<p><b>2-door closet</b>  <b>Quantity: 150</b></p>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• 2-door closet with a vertical dividing panel in the middle</li> <li>• Doors with hinges, placed inside the closet</li> <li>• Closet has 5 vertical sections: top shelf, middle part with closet rod and three bottom shelves</li> <li>• metallic oval closet rod with plastic end supports</li> <li>• Shelf panels thickness minimum 18mm</li> <li>• Top shelf height: 25cm</li> <li>• each bottom shelf height: 30cm</li> <li>• Metallic oval closet rod at 165cm (<math>\pm 5\%</math>) height from the floor</li> <li>• All panels (except the closet back panel) are made of laminated plywood, thickness minimum 18 mm, beech colour</li> <li>• Edges of all plywood panels covered with edge banding tape, in the same pattern as the panels</li> <li>• Closet back made of HDF, joint to the upper, bottom and sides panels of the closet</li> <li>• With two metallic handles for each half of the closet, length 128mm (<math>\pm 5\%</math>), square-shaped, matte</li> <li>• Closet dimensions minimum: 120x60x200cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
41	<b>1-door closet</b> <b>Quantity: 30</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>1-door closet construction elements: 2 side panels, top panel, bottom panel, back panel, door, shelves</li> <li>1-door closet, with 3 vertical sections: bottom shelf, middle part with closet rod and top shelf</li> <li>Top shelf height: 20-25cm</li> <li>Bottom shelf height: 30-35cm</li> <li>metallic oval closet rod with plastic end supports in the middle part of the closet, at 155cm(<math>\pm 5\%</math>) height from the floor</li> <li>Shelf panels thickness minimum 18mm</li> <li>All panels (except the closet back panel) used for closet construction are made of laminated plywood panels, thickness minimum 18 mm, beech colour</li> <li>Edges of plywood panels covered with edge banding tape, , in the same pattern as the plywood panels</li> <li>Closet back made of HDF, joint with the upper, bottom and sides panels</li> <li>With s metallic handle, length 128mm(<math>\pm 5\%</math>), square-shaped, matte</li> <li>Dimensions: width 40-45cm, depth 55-60cm, height 180-185</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
42	<b>2-door closet (in the room for the disabled)</b> <b>Quantity: 20</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• 2-door closet with a vertical dividing panel in the middle</li> <li>• adjusted for use by persons with a disability</li> <li>• One half (vertical) of the closet consists of five shelves, with the same distance between them</li> <li>• other half of the closet contains metallic oval closet rod with plastic end supports and one bottom shelf</li> <li>• each shelf height: 40cm</li> <li>• panels used for closet construction (except the closet back panel) are made of laminated plywood panels, thickness minimum 18 mm, with melamine foil, beech pattern</li> <li>• Edges of plywood panels covered with edge banding tape, in the same pattern as the plywood panels</li> <li>• Closet back made of HDF, width minimum 3mm, joint with the upper, bottom and sides panels</li> <li>• With two metallic handles for each half of the closet, length 128mm(<math>\pm 5\%</math>), square-shaped, matte</li> <li>• Dimensions minimum: 120x60x200cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
43	<b>Armchair</b> <b>Quantity: 15</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>metal construction, covered with polyurethane foam</li> <li>with synthetic leather upholstery</li> <li>Back shape: oval or square with round edges</li> <li>Seat: plywood or wooden base, covered with with polyurethane foam with synthetic leather upholstery, height 45cm</li> <li>with metallic or wooden legs, height maximum 10cm</li> <li>colour: grey or dark blue or dark brown</li> <li>armchair width: minimum 70cm</li> <li>armchair depth: minimum 60cm</li> <li>armchair height: 70-80cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
44	<b>Two-seater</b> <b>Quantity: 15</b>			
	<ul style="list-style-type: none"> <li>Two-seater in metal construction, covered with polyurethane foam, with synthetic leather upholstery</li> <li>Back shape: oval or square with round edges</li> <li>Seat: plywood or wooden base, covered with with polyurethane foam with synthetic leather upholstery, height 45cm</li> <li>with metal or wooden legs, height maximum 10cm</li> <li>colour: grey or dark blue or dark brown</li> <li>two-seater width: minimum 120 cm</li> <li>two-seater depth: minimum 60cm</li> <li>two-seater height: 70-80cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
45	<b>Three-seater</b> <b>Quantity: 15</b>			
	<ul style="list-style-type: none"> <li>• Three-seater in metal construction, covered with polyurethane foam, with synthetic leather upholstery</li> <li>• Back shape: oval or square with round edges</li> <li>• Seat: plywood or wooden base, covered with with polyurethane foam with synthetic leather upholstery, height 45cm</li> <li>• with metallic or wooden legs, height maximum 10cm.</li> <li>• colour: grey or dark blue or dark brown</li> <li>• three-seater width: minimum 185 cm</li> <li>• three-seater depth: minimum 75cm</li> <li>• three-seater height: minimum 70-85cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
46	<b>Coffee table</b> <b>Quantity: 15</b>			
	<ul style="list-style-type: none"> <li>• horizontal panel made of laminated plywood thickness 3cm, with melamine foil</li> <li>• four table legs, made of box or "L" profiles, material laminated plywood with melamine foil, thickness minimum 3cm</li> <li>• All plywood elements in oak pattern</li> <li>• Edges of all plywood panels covered with edge banding tape, in the same pattern as the plywood panels</li> <li>• width 105 - 115cm, depth 50-65cm, height 42-48cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
47	<b>Office chair</b> <b>Quantity: 30</b>			
	<ul style="list-style-type: none"> <li>• with metal basis (star-shaped) on plastic wheels, diameter 50mm, with anti-corrosion coating</li> <li>• With metal arm support, with anti-corrosion coating</li> <li>• Polyurethane foam seat covered with synthetic leather</li> <li>• Height adjustable chair with gas lift cylinder</li> <li>• Standard dimensions</li> <li>• Colour black</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
48	<b>Shelving rack</b> <b>Quantity: 30</b>			
	<ul style="list-style-type: none"> <li>• Minimum 4 shelves</li> <li>• Shelving rack construction made of steel box or "L" profiles with adequate shape and size to capacitate minimum weight of 100kg per shelf, with anti-corrosion coating</li> <li>• Colour: black or metallic grey</li> <li>• Dimensions: 92x32x200cm (±5%)</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
49	<b>Changing room benches</b> <b>Quantity:5</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>• Seat made of laminated plywood with melamine foil or wood, thickness minimum 3cm, pattern beech or oak</li> <li>• Seat edges covered with edge banding tape, in the same pattern as the seat surface</li> <li>• Supporting construction: steel profiles</li> <li>• Supporting construction colour: black or metallic grey, with anti-corrosion coating</li> <li>• Bench dimensions: length 200, width 25cm, height 40-45cm</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
50	<b>Storage rack</b> <b>Quantity: 30</b>			



1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
	<ul style="list-style-type: none"> <li>Storage rack consists of 3 modules: one starter bay and two add-on bays, overall 4 upright frames</li> <li>Starter bay's dimensions: rack depth 110cm, rack horizontal beam length 270cm, upright frame height 400cm</li> <li>Two add-on bays are mounted horizontally in continuation with the starter bay</li> <li>Two add-on bays' dimensions are the same as starter bay's</li> <li>One module contains 4 vertical sections (4 vertical racks) for goods storage with the same vertical spacing between them</li> <li>Rack supporting construction: steel profiles with anti-corrosion coating, with adequate steel profiles' shape and size to capacitate weight of 1000kg per rack space (270x110cm)</li> <li>Included each rack base decking on which the goods are going to be placed</li> <li>Rack base decking with steel profiles, with adequate shape and size to capacitate 1000kg load per rack</li> </ul>	<p><i>Manufacturer's name:</i></p> <p><i>Product type, model:</i></p> <p><i>Specifications:</i></p>		
<p><b><u>Lot 3 delivery and instalation requirements:</u></b></p> <p><b>All items to be delivered assembled or assembled on the spot upon delivery</b></p>				

Specifications Required		Specifications Offered	Notes, remarks, ref to documentation	Evaluation Committee's notes YES/NO
<b>Applicable for all Lots</b>				
<b>Commercial warranty</b>	2 years (after the end of 1 year standard warranty) in accordance with the conditions laid down in Article 32 of the General Conditions and Article 33 of the Special Conditions Tenderer must provide a detailed description of the organisation of the proposed service (e.g. name of the authorised service provider)			
<b>General conditions</b>	Items must comply with the all of applicable regulations of Republic of Serbia and European Union regarding quality of materials and workmanship, class of motor and fuel, electricity, environmental protection and safety.			
<b>Applicable for Lot 3</b>				
<b>Response time</b>	On-site response time within 24 hours during 3 years after provisional acceptance Tenderer must provide a detailed description of the organisation of the proposed service (e.g. name of the authorised service provider)			
<b>Repair time</b>	72 hours repair time during 3 years after provisional acceptance Tenderer must provide a detailed description of the organisation of the proposed service (e.g. name of the authorised service provider)			

## Annex II + III: Technical Specifications + Technical Offer - part II – Place of delivery/Acceptance

Item	ARTICLE	Name of person responsible for provisional and final acceptance	Place of acceptance
All lots (1 – 5)			
All lots (1 -5)	All lots (1 -5)	Ivan Gerginov	Commissariat for Refugees and Migration of republic of Serbia Azylum Center Obrenovac Nemanjina 130 11500 Obrenovac, Belgrade SERBIA

Authorised Contact Person	Delivery address
<b>Name:</b> Ivan Gerginov <b>Phone:</b> +381 11 3129 587 <b>Fax:</b> +381 11 3129 590 <b>E-mail:</b> <a href="mailto:ivan.gerginov@kirs.gov.rs">ivan.gerginov@kirs.gov.rs</a> , <a href="mailto:kirs@kirs.gov.rs">kirs@kirs.gov.rs</a> <b>Working hours:</b> 7:30 – 15:30	<b>All lots (1 - 5)</b> Commissariat for Refugees and Migration of republic of Serbia Azylum Center Obrenovac Nemanjina 130 11500 Obrenovac, Belgrade SERBIA